
Waterra Library of Groundwater Monitoring References by Subject

Books and Manuals

Texts and Tomes

- Brassington R, 2007. Field Hydrogeology. John Wiley and Sons 3rd Edition.
- Institute of Geologists of Ireland, 2007. Guidelines for Drilling Wells for Private Water Supplies. Institute of Geologists of Ireland Guidance Document (3 Booklets), 37 pp.
- Misstear B, Banks D and Clark L, 2006. Water wells and boreholes. John Wiley and Sons, 498pp.
- Nielson D.M (ed), 2006. Practical handbook of Environmental Site Characterisation and Ground-water Monitoring (2nd Edition). CRC Press, Taylor & Francis Group, USA., 1318pp.
- Price M, 1997. Introducing Groundwater. Chapman and Hall, 278pp.
- The Institution of Civil Engineers, Oxfam GB, WaterAid, 2011. Managing water locally. An essential dimension of community water development. The Institution of Civil Engineers, 94pp.

Groundwater - General Monitoring Guidance

Governmental and Other Guidance

- Brassington F.C & Younger P.L, 2010. A proposed framework for hydrogeological conceptual modelling. Journal of Water and Environmental Management 24, 261-273.
- CL:AIRE, 2008. Principles and Practice for the Collection of Representative Groundwater Samples Technical Bulletin TB3, 8pp.
- Environment Agency, 2003. Guidance on monitoring of landfill leachate, groundwater and surface water. EA Landfill Directive Technical Guidance LFTGN02, 283pp.
- Environmental Protection Agency, Ireland, 2004. Landfill Manuals & Landfill Monitoring, 2nd Edition EPA Technical Guidance.
- SEPA, 2003. Guidance on Monitoring of Leachate, Groundwater and Surface Water, V2. SEPA Guidance Document, 195.
- US Environmental Protection Agency (Puls R.W and Barcelona M.J), 1996. Low-flow (minimal drawdown) ground-water sampling procedures. USEPA Ground Water Issue EPA/540/S-95/504, 12pp.
- US Geological Survey, 2003. Selection of equipment for water quality sampling. (National field manual for the collection of water quality data.) USGS Techniques of Water-Resources Investigations Book 9, Chapter A2.

Groundwater - Monitoring Standards (ISO and Other)

International and British Standards

- British Standards Institution, 1998. Water Quality - Sampling. Part 14: Guidance on quality assurance of environmental water sampling and handling. British Standard BS 6068 Section 6.14: 1998 and ISO 5667-14: 1998, 18pp.
- British Standards Institution, 1999. Code of practice for site investigations. British Standard BS5930: 1999, 192pp.
- British Standards Institution, 2005. Manual methods for the measurement of a groundwater level in a well. British Standard BS ISO 21413: 2005, 30pp.
- British Standards Institution, 2006. Geotechnical investigation and testing — Sampling methods and groundwater measurements — Part 1: Technical principles for execution. British Standard BS EN ISO 22475-1: 2006, 120pp.
- British Standards Institution, 2008. Water Quality - Sampling. Part 20: Guidance on the use of sampling data for decision making. Compliance with thresholds and classification systems. British Standard BS ISO 5667-20: 2008.
- British Standards Institution, 2008. Water Quality - Sampling. Part 3: Guidance on the preservation and handling of water samples. British Standard BS ISO 5667-17: 2008.
- British Standards Institution, 2009. Water Quality - Sampling. Part 11: Guidance on sampling of groundwaters. British Standard BS ISO 5667-11: 2009 BS 6068-6.11 2009, 40pp.
- British Standards Institution, 2010. Water quality - Sampling. Part 22: Guidance on the design and installation of groundwater monitoring points. British Standard BS ISO 5667-22: 2010, 36pp.
- British Standards Institution, 2011. Investigation of potentially contaminated sites - Code of practice. British Standard BS 10175: 2011, 138pp.
- Standing Committee of Analysts, 1996. General principles of sampling waters and associated materials (2nd edition). Methods for the Examination of Waters and Associated Materials, HMSO, 258pp.

Groundwater - Monitoring Standards (ASTM)

American Standards

- American Society for Testing and Materials (ASTM), 2001. Standard Test Method for Determining Subsurface Liquid Levels in a Borehole or Monitoring Well (Observation Well). ASTM D4750-87, 6pp.
- American Society for Testing and Materials (ASTM), 2002. Standard Practice for Decontamination of Field Equipment Used at Nonradioactive Waste Sites. ASTM D5088-02, 5pp.
- American Society for Testing and Materials (ASTM), 2002. Standard Practice for Low-Flow Purging and Sampling for Wells and Devices Used for Ground-Water Quality Investigations. ASTM D-6771-02.
- American Society for Testing and Materials (ASTM), 2002. Standard Test Method for (Field Procedure) for Instantaneous Change in Head (Slug) Tests for Determining Hydraulic Properties of Aquifers. ASTM D4044-96, 3pp.
- American Society for Testing and Materials (ASTM), 2004. Standard Practice for Design and Installation of Ground Water Monitoring Wells. ASTM D5092-04e1, 16pp.
- American Society for Testing and Materials (ASTM), 2005. Standard Guide for Field Filtration of Ground-Water Samples. ASTM D6564-00, 6pp.

Waterra Library of Groundwater Monitoring References by Subject

American Society for Testing and Materials (ASTM), 2005. Standard Guide for Purging Methods for Wells Used for Ground-Water Quality Investigations. ASTM D6452-99, 6pp.

American Society for Testing and Materials (ASTM), 2006. Standard Guide for the Selection of Purging and Sampling Devices for Ground-Water Monitoring Wells. ASTM D6634-01, 14pp.

National Institute of Standards and Technology (NIST), 2004. Specifications, tolerances and other technical requirements for weighing and measuring devices. Section 5.52. Linear Measures. NIST Handbook 44 -2004 Edition Handbook 44, 2pp.

Groundwater - Environment Agency Monitoring Guidance

Guidance from the Agency

Environment Agency, 1998. Review of LNAPL monitoring techniques in groundwater. EA Project Report P2/080/1/M, 167pp.

Environment Agency, 2000. Decommissioning redundant boreholes and wells. Information Leaflet, 14pp.

Environment Agency, 2000. Guidance on the assessment and monitoring of natural attenuation of contaminants in groundwater. EA R&D Publication 95, 131pp.

Environment Agency, 2000. Piling into contaminated sites. Information Leaflet, 16pp.

Environment Agency, 2000. The fuel additive MTBE - a groundwater protection issue?. Information Leaflet, 22pp.

Environment Agency, 2001. Methodology for the derivation of remedial targets for soil and groundwater to protect water resources. EA R&D Publication 20, 89pp.

Environment Agency, 2001. Piling and penetrative ground improvement methods on land affected by contamination: guidance on pollution prevention. EA Project Report NC/99/73, 100pp.

Environment Agency, 2002. Techniques for the interpretation of landfill monitoring data. Guidance notes. EA R&D Publication P1-471, 151pp.

Environment Agency, 2002. The delineation and characterisation of groundwater bodies to meet the requirements of the EU water framework directive (summary). EA R&D Publication P2-260/6/TS/1, 2pp.

Environment Agency, 2003. A guide to monitoring water levels and flows at wetland sites. Information Leaflet, 29pp.

Environment Agency, 2003. An Illustrated handbook of DNAPL transport and fate in the subsurface. EA R&D Publication 133, 67pp.

Environment Agency, 2003. Development of methodology for selection of determinand suites and sampling frequency for groundwater quality monitoring. EA Project Report NC/00/35, 94pp.

Environment Agency, 2003. Guidance on monitoring of landfill leachate, groundwater and surface water. EA Landfill Directive Technical Guidance LFTGN02, 283pp.

Environment Agency, 2003. Hydrogeological risk assessments for landfills (SUPERCEDED) EA Landfill Directive Technical Guidance LFTGN01, 100pp.

Environment Agency, 2004. Investigation and evaluation of sampling at small groundwater sources. EA Science Report NC/00/24/02, 94pp.

Environment Agency, 2005. Guidance on the design and installation of groundwater quality monitoring points. EA Science Report SC020093, 87pp.

Environment Agency, 2005. High-resolution in situ monitoring of flow between aquifers and surface waters. EA Science Report SC030155/SR4, 38pp.

Environment Agency, 2006. Groundwater quality: a framework for improved monitoring. EA Policy Document, 32pp.

Environment Agency, 2007. Information about your groundwater quality results. EA R&D Publication HHEO0807BNAO-E-E, 30pp.

Environment Agency, 2010. H1 - Technical annex to annex (j): Hydrogeological risk assessments for landfills and the derivation of groundwater control levels and compliance limits. EA Landfill Directive Technical Guidance, 132pp.

Groundwater - Environment Agency Policy Documents

Policy from the Agency

Environment Agency, 2006. Underground, under threat. Groundwater protection: policy and practice. Part 1 - overview. EA Policy Document, 11pp.

Environment Agency, 2006. Underground, under threat. Groundwater protection: policy and practice. Part 2 - technical framework. EA Policy Document, 58pp.

Environment Agency, 2006. Underground, under threat. Groundwater protection: policy and practice. Part 3 - tools. EA Policy Document, 28pp.

Environment Agency, 2006. Underground, under threat. The state of groundwater in England and Wales. EA Policy Document, 24pp.

Borehole Design and Construction - a) General Papers

Construction methods and how these influence monitoring results

Aller L.T, Bennett T.W, Hackett G, Petty R.J, Lehr J.H, Sidoris H, Nielsen D.M and Denne J.E, 1991. Handbook of suggested practices for the design and installation of ground-water monitoring wells. EPA Technical Guidance 160014-891034.

American Society for Testing and Materials (ASTM), 2004. Standard Practice for Design and Installation of Ground Water Monitoring Wells. ASTM D5092-04e1, 16pp.

British Standards Institution, 2010. Water quality - Sampling. Part 22: Guidance on the design and installation of groundwater monitoring points. British Standard BS ISO 5667-22: 2010, 36pp.

Chesnaux R, Chapuis R.P and Molson J.W, 2006. A new method to characterize hydraulic short-circuits in defective borehole seals. Ground Water 44 (5), 676-681.

Waterra Library of Groundwater Monitoring References by Subject

Environment Agency, 2000. Decommissioning redundant boreholes and wells. Information Leaflet, 14pp.

Environment Agency, 2000. Piling into contaminated sites. Information Leaflet, 16pp.

Environment Agency, 2001. Piling and penetrative ground improvement methods on land affected by contamination: guidance on pollution prevention. EA Project Report NC/99/73, 100pp.

Environment Agency, 2005. Guidance on the design and installation of groundwater quality monitoring points. EA Science Report SC020093, 87pp.

Hubbell J.M, Wood T.R, Higgs B, Wylie A.H and McElroy D.L, 1998. Design, installation, and uses of combination ground water and gas sampling wells. *Ground Water Monitoring & Remediation* 18 (3), 151-157.

Institute of Geologists of Ireland, 2007. Guidelines for Drilling Wells for Private Water Supplies. Institute of Geologists of Ireland Guidance Document (3 Booklets), 37 pp.

Missteart B, Banks D and Clark L, 2006. Water wells and boreholes. John Wiley and Sons, 498pp.

Borehole Design and Construction - b) General Sampling Related Issues

Discerning how to properly sample a borehole

CL:AIRE, 2008. Principles and Practice for the Collection of Representative Groundwater Samples Technical Bulletin TB3, 8pp.

Keely J.F and Boateng K, 1987. Monitoring well installation, purging, and sampling techniques - Part 2: Case Histories. *Ground Water* 25 (4), 427-439.

Kim K, 2003. Long-term disturbance of ground water chemistry following well installation. *Ground Water* 41 (6), 780-789.

Puls R.W and Paul C.J, 1997. Multi-layer sampling in conventional monitoring wells for improved estimation of vertical contaminant distributions and mass. *Journal of Contaminant Hydrology* 25 (1-2), 51-77.

Reilly T.E and Gibs J, 1993. Effects of physical and chemical heterogeneity on water quality samples obtained from wells. *Ground Water* 31 (5), 805-813.

Borehole Design and Construction - c) Influence of Construction Materials

Materials used in borehole construction can influence water quality samples

Kozuskanich J, Novakowski K.S and Anderson B.C, 2011. Fecal indicator bacteria variability in samples pumped from monitoring wells. *Ground Water* 49, 43-52.

Newcomer D.R, Bjornstad B.N & Vermeul V.R, 2010. Vertical wellbore flow monitoring for assessing spatial and temporal flow relationships with a dynamic river boundary. *Ground Water Monitoring & Remediation* 30 (4), 123-135.

Parker L.V and Ranney T.A, 1994. Effect of concentration on sorption of dissolved organics by PVC, PTFE and stainless steel well casings. *Ground Water Monitoring & Remediation* 14 (3), 139-149.

Parker L.V, Hewitt A.D and Jenkins T.F, 1990. Influence of casing materials on trace-level chemicals in well water. *Ground Water Monitoring & Remediation* 10 (2), 146-156.

Ranney T.A and Parker L.V, 1997. Comparison of fiberglass and other polymeric well casings, part I: Susceptibility to degradation by chemicals. *Ground Water Monitoring & Remediation* 17 (1), 97-103.

Ranney T.A and Parker L.V, 1998. Comparison of fiberglass and other polymeric well casings, part II. Sorption and leaching of trace-level organics. *Ground Water Monitoring & Remediation* 18 (2), 107-112.

Ranney T.A and Parker L.V, 1998. Comparison of fiberglass and other polymeric well casings, part III. Sorption and leaching of trace-level metals. *Ground Water Monitoring & Remediation* 18 (3), 127-133.

Borehole Design and Construction - d) Influence of Screen Length

The length and position of the response zone is critical.

Barber C and Davis G.B, 1987. Representative sampling of ground water from short-screened boreholes. *Ground Water* 25 (5), 581-587.

Barcelona M.J and Helfrich J.A, 1986. Well construction and purging effects on ground-water samples. *Environmental Science and Technology* 20 (11), 1179-1184.

Brassington F.C, 1992. Measurement of head variations within observation boreholes and their implications for groundwater monitoring. *Journal of Water and Environmental Management* (pre 1999) 6, 91-100.

Church P.E and Granato G.E, 1996. Bias in ground-water data caused by well-bore flow in long-screen wells. *Ground Water* 34 (2), 262-273.

Cohen R.M and Rabold R.R, 1988. Simulation of sampling and hydraulic tests to assess a hybrid monitoring well design. *Ground Water Monitoring & Remediation* 3 (1), 51-59.

Conant B. Jr., Akindunni F.F and Gillham R.W, 1995. Effect of well-screen placement on recovery of vertically stratified contaminants. *Ground Water* 33 (3), 445-457.

Divine C.E, Madsen L.L, Andrews S.D and Santangelo-Dreiling T, 2005. Passive diffusion ground water samplers at a site with heterogeneous hydrostratigraphy: pilot study results. *Ground Water Monitoring & Remediation* 25 (1), 90-99.

Dumble P, 2006. Groundwater monitoring and sampling - new research and the importance of borehole construction. IAH (Irish Group) 26th Annual Conference Proceedings, Tullamore, 25-26 April 2006, 10pp.

Elci A, Flach G.P and Molz F.J, 2003. Detrimental effects of natural vertical head gradients on chemical and water level measurements in observation wells: identification and control. *Journal of Hydrology* 281 (1-2), 70-81.

Elci A, Molz III F.J and Waldrop W.R, 2001. Implications of observed and simulated ambient flow in monitoring wells. *Ground Water* 39 (6), 853-862.

Fuller M.T, 2004. Vertical and concentration gradients: Assessment with multi-levels. University of Nottingham MSC Contaminated Land, 74pp.

Waterra Library of Groundwater Monitoring References by Subject

- Hutchins S.R and Acree S.D, 2000. Ground water sampling bias observed in shallow, conventional wells. *Ground Water Monitoring & Remediation* 20 (1), 86-93.
- Jorgensen P.R, Klint K.E.S and Kistrup J.P, 2003. Monitoring well interception with fractures in clayey till. *Ground Water* 41 (6), 772-779.
- Martin-Hayden J.M and Wolfe N.B, 2000. A novel view of well bore flow and partial mixing: digital image analyses. *Ground Water Monitoring & Remediation* 20 (4), 96-103.
- Martin-Hayden J.M, Robbins G.A and Bristol R.D, 1991. Mass balance evaluations of monitoring well purging, part II, field tests at a gasoline contamination site. *Journal of Contaminant Hydrology* 8 (1), 225-241.
- Mayo A.L, 2010. Ambient well-bore mixing, aquifer cross-contamination, pumping stress, and water quality from long-screened wells: What is sampled and what is not? *Hydrogeology Journal* 18, 823-837.
- Missteat B and Banks D, 2006. Groundwater monitoring: the importance of setting clear monitoring objectives based on an appreciation of the hydrogeology. IAH (Irish Group) 26th Annual Conference Proceedings, Tullamore, 25-26 April 2006, 9pp.
- Price M, 1993. The influence of unlined boreholes on groundwater chemistry: a comparative study using pore-water extraction and packer sampling. *Journal of Water and Environmental Management* (pre 1999) 7, 651-659.
- Reilly T.E and LeBlanc E.R, 1998. Experimental evaluation of factors affecting temporal variability of water samples obtained from long-screened wells. *Ground Water* 36 (4), 566-576.
- Robbins G.A, 1989. Influence of using purged and partially penetrating monitoring wells on contaminant detection, mapping and modeling. *Ground Water* 27 (2), 155-162.
- Sterling S.N, Parker B.L, Cherry J.A, Williams J.H, Lane Jr. J.W and Haeni F.P, 2005. Vertical Cross Contamination of Trichloroethylene in a Borehole in Fractured Sandstone. *Ground Water* 43 (4), 557-573.
- Sukup M.C, 2000. Estimation of vertical concentration profiles from existing wells. *Ground Water* 38 (6), 836-841.

Borehole Design and Construction - e) Flow mechanisms

Flow mechanisms within the borehole column can cause significant mixing and dilution

- Bottrell S.H, Thornton S.F, Spence M.J, Alshor S. and Spence K.H, 2010. Assessment of the use of fluorescent tracers in a contaminated Chalk aquifer. *Quarterly Journal of Engineering Geology and Hydrogeology* 43, 195-206.
- Brassington F.C, 1992. Measurement of head variations within observation boreholes and their implications for groundwater monitoring. *Journal of Water and Environmental Management* (pre 1999) 6, 91-100.
- Britt S.L, 2005. Testing the in-well horizontal laminar flow assumption with a sand-tank well model. *Ground Water Monitoring & Remediation* 25 (3), 73-81.
- Church P.E and Granato G.E, 1996. Bias in ground-water data caused by well-bore flow in long-screen wells. *Ground Water* 34 (2), 262-273.
- Elci A, Molz III F.J and Waldrop W.R, 2001. Implications of observed and simulated ambient flow in monitoring wells. *Ground Water* 39 (6), 853-862.
- Flynn R.M, Schnegg P-A, Costa R, Mallen G and Zwahlen F, 2005. Identification of zones of preferential groundwater tracer transport using a mobile downhole fluorometer. *Hydrogeology Journal* 13, 366-377.
- Hutchins S.R and Acree S.D, 2000. Ground water sampling bias observed in shallow, conventional wells. *Ground Water Monitoring & Remediation* 20 (1), 86-93.
- Kozuskanich J, Novakowski K.S and Anderson B.C, 2011. Fecal indicator bacteria variability in samples pumped from monitoring wells. *Ground Water* 49, 43-52.
- Martin-Hayden J.M and Britt S.L, 2006. Revealing the black box of ground-water sampling: effects of well-bore flow and mixing during purging. 2006 North American Environmental Field Conference & Exposition, Tampa, Florida, 10-12 January 2006, 16pp.
- Martin-Hayden J.M and Robbins G.A, 1997. Plume distortion and apparent attenuation due to concentration averaging in monitoring wells. *Ground Water* 35 (2), 339-346.
- Martin-Hayden J.M, 2000. Controlled laboratory investigations of wellbore concentration response to pumping. *Ground Water* 38 (1), 121-128.
- Martin-Hayden J.M, 2000. Sample concentration response to laminar wellbore flow: implications to ground water data variability. *Ground Water* 38 (1), 12-19.
- Mayo A.L, 2010. Ambient well-bore mixing, aquifer cross-contamination, pumping stress, and water quality from long-screened wells: What is sampled and what is not? *Hydrogeology Journal* 18, 823-837.
- Newcomer D.R, Bjornstad B.N & Vermeul V.R, 2010. Vertical wellbore flow monitoring for assessing spatial and temporal flow relationships with a dynamic river boundary. *Ground Water Monitoring & Remediation* 30 (4), 123-135.
- Pehme P.E, Parker B.L, Cherry J.A and Greenhouse J.P, 2010. Improved resolution of ambient flow through fractured rock with temperature logs. *Ground Water* 48 (2), 191-205.
- Reilly T.E, Franke O.L and Bennett G.D, 1989. Bias in groundwater samples caused by wellbore flow. *Journal of Hydraulic Engineering* 115 (2), 270-276.
- Varljen M.D, Barcelona M.J, Obereiner J and Kaminski D, 2006. Numerical simulations to assess the monitoring zone achieved during low-flow purging and sampling. *Ground Water Monitoring & Remediation* 26 (1), 44-52.
- Vroblecky D.A and Peterson J.E, 2004. Flow-meter and passive diffusion bag tests and potential influences on the vertical distribution of contaminants in wells at Galena Airport, Galena, Alaska, August to October 2002. USGS Open-File Report 2004-1241, 29pp.
- Vroblecky D.A, Casey C.C and Lowery M.A, 2006. Influence of in-well convection on well sampling. USGS Scientific Investigations Report 2006-5247, 13pp.
- Vroblecky D.A, Casey C.C and Lowery M.A, 2007. Influence of dissolved oxygen convection on well sampling. *Ground Water Monitoring & Remediation* 27 (3), 49-58.

Waterra Library of Groundwater Monitoring References by Subject

Borehole Design and Construction - f) Multilevels

Multilevels - are they the answer?

- Atkins Consultants, 2007. Brofiscin Quarry Phase 1 Further Investigation Actions: Stage 4 - Conceptual Site Model. Report to Environment Agency Wales and Rhondda Cynon Taf County Borough Council CSM Rev4.doc, 333 pp.
- Bottrell S.H, Thornton S.F, Spence M.J, Alshor S. and Spence K.H, 2010. Assessment of the use of fluorescent tracers in a contaminated Chalk aquifer. Quarterly Journal of Engineering Geology and Hydrogeology 43, 195-206.
- Brassington F.C, 1992. Measurement of head variations within observation boreholes and their implications for groundwater monitoring. Journal of Water and Environmental Management (pre 1999) 6, 91-100.
- Cherry J.A and Johnson P.E, 1982. A multilevel device for monitoring in fractured rock. Ground Water Monitoring & Remediation 2 (3), 41-44.
- Christensen T.H, Bjerg P.L and Kjeldsen P, 2000. Natural attenuation: a feasible approach to remediation of ground water pollution at landfills?. Ground Water Monitoring & Remediation 20 (1), 69-77.
- CL:AIRE, 2002. Multilevel Sampling Systems. Technical Bulletin TB 2.
- CL:AIRE, 2002. Site Characterisation in Support of Monitored Natural Attenuation of Fuel Hydrocarbons and MTBE in a Chalk Aquifer in Southern England. Case Studies Bulletin CSB 1, 2pp.
- Dumble P, Fuller M, Beck P & Sojka P, 2006. Assessing contaminant migration pathways and vertical gradients in a low-permeability aquifer using multilevel borehole systems. Land Contamination and Remediation 14 (3), 699-711.
- Einarson M, 2006. Multilevel ground-water monitoring. Practical Handbook of Environmental Site Characterisation and Ground-water Monitoring (2nd Edition), 807-845.
- Einarson M.D and Cherry J.A, 2002. A new multilevel ground water monitoring system using multichannel tubing. Ground Water Monitoring & Remediation 22 (4), 52-65.
- Einarson M.D, Shirmer M, Pezeshkpour P, Mackay D.M and Wilson R.D, 1999. Comparison of eight innovative site characterization tools used to investigate an MTBE plume at site 60, Vandenberg air force base, California. NGWA Petroleum Hydrocarbons Conference, Houston, Texas, 17-19 November 1999.
- Fuller M.T, 2004. Vertical and concentration gradients: Assessment with multi-levels. University of Nottingham MSC Contaminated Land, 74pp.
- Jones I, Lerner D.N and Baines O.P, 1999. Multiport sock samplers: a low cost technology for effective multilevel ground water sampling. Ground Water Monitoring & Remediation 19 (1), 134-142.
- Kozuskanich J, Novakowski K.S and Anderson B.C, 2011. Fecal indicator bacteria variability in samples pumped from monitoring wells. Ground Water 49, 43-52.
- Lewis M, 2001. Installing continuous multi-chamber tubing using sonic drilling Water Well Journal July, 16-17.
- Paul C.J, 2006. Ground water monitoring and sampling: multi-level versus traditional methods - what's what? 2006 North American Environmental Field Conference & Exposition, Tampa, Florida, 10-12 January 2006, 10pp.
- Pehme P.E, Parker B.L, Cherry J.A and Greenhouse J.P, 2010. Improved resolution of ambient flow through fractured rock with temperature logs. Ground Water 48 (2), 191-205.
- Rivett M.O, Ellis P.A, Greswell R.B, Ward R.S, Roche R.S, Cleverley, M.G, Walker C, Conran D, Fitzgerald P.J, Wilcox T and Dowle J, 2008. Cost-effective mini drive-point piezometers and multilevel samplers for monitoring the hyporheic zone. Quarterly Journal of Engineering Geology and Hydrogeology 41, 49-60.
- Wealthall G.P, Thornton S.F and Lerner D.N, 2001. Assessing the transport and fate of MTBE-amended petroleum hydrocarbons in the Chalk aquifer, UK 3rd International Conference on Groundwater Quality, University of Sheffield, UK, 18-21 June 2001. IAHS Publication. Ed Thornton, S.F and Oswald S.E.
- Wealthall G.P, Thornton S.F and Lerner D.N, 2001. Assessing the transport and fate of MTBE-amended petroleum hydrocarbons in the UK chalk aquifer. NGWA Petroleum Hydrocarbons Conference, Houston, Texas, 17-19 November 1999, 5pp.
- White R.A, Rivett M.O, Wealthall G.P and Lelliott M.R, 2007. Use of high resolution soil core and aqueous-phase monitoring to investigate TCE biodegradation heterogeneity within a DNAPL source zone area. 6th International Conference on Groundwater Quality, Fremantle, Western Australia, 2-7 December 2007., 8 pp.
- Wilson R.D, Thornton S.F and Mackay D.M, 2004. Challenges in monitoring the natural attenuation of spatially variable plumes. Biodegradation 15, 11.

Groundwater Sampling Methodology - a) Filtration

To filter or not to filter - mainly related to trace metals

- American Society for Testing and Materials (ASTM), 2005. Standard Guide for Field Filtration of Ground-Water Samples. ASTM D6564-00, 6pp.
- Puls R.W and Powell R.M, 1992. Acquisition of representative ground water quality samples for metals. Ground Water Monitoring & Remediation 12 (3), 167-176.
- Saar R.A, 1997. Filtration of ground water samples: a review of industry practice. Ground Water Monitoring & Remediation 17 (1), 56-62.

Groundwater Sampling Methodology - b) Inorganics / Metals

Sampling for trace metal concentrations needs care

- Puls R.W and Powell R.M, 1992. Acquisition of representative ground water quality samples for metals. Ground Water Monitoring & Remediation 12 (3), 167-176.
- Ranney T.A and Parker L.V, 1998. Comparison of fiberglass and other polymeric well casings, part III. Sorption and leaching of trace-level metals. Ground Water Monitoring & Remediation 18 (3), 127-133.

Waterra Library of Groundwater Monitoring References by Subject

- Saar R.A., 1997. Filtration of ground water samples: a review of industry practice. *Ground Water Monitoring & Remediation* 17 (1), 56-62.
- Shanklin D.E, Sidle W.C and Ferguson M.E., 1995. Micro-purge low-flow sampling of uranium-contaminated ground water at the Fernald environmental management project. *Ground Water Monitoring & Remediation* 15 (3), 168-176.
- Wood S.C, Younger P.L and Robins N.S., 1999. Long-term changes in the quality of polluted minewater discharges from abandoned underground coal workings in Scotland. *Quarterly Journal of Engineering Geology and Hydrogeology* 32, 69-79.

Groundwater Sampling Methodology - c) Organic and VOC Sampling

Sampling for organics needs exceptional care!

- Backhus D.A, Ryan J.N, Groher D.M, MacFarlane J.K and Gschwend P.M., 1993. Sampling colloids and colloid-associated contaminants in ground water. *Ground Water* 31 (3), 466-479.
- Baerg D.F, Starr R.C, Cherry J.A and Smyth D.J.A. Performance testing of conventional and innovative downhole samplers and pumps VOS's in laboratory monitoring well. Unpublished.
- Barcelona M.J, Wehrmann H.A and Varljen M.D., 1994. Reproducible well purging procedures and VOC stabilization criteria for ground water sampling. *Ground Water* 32 (1), 12-22.
- Barker J.F and Dickhout R., 1988. An evaluation of some systems for sampling gas-charged ground water for volatile organic analysis.. *Ground Water Monitoring & Remediation* 8 (4), 112-120.
- Clark L and Baxter K.M., 1989. Ground water sampling for organic micropollutants: U.K. experience. *Quarterly Journal of Engineering Geology and Hydrogeology* 22 (3), 159-168.
- Gibs J and Imbrigiotta T.E., 1990. Well-purging criteria for sampling purgeable organic compounds. *Ground Water* 28 (1), 68-78.
- Gibs J, Brown G.A, Turner K.S, Macleod C.L, Jellinski J.C and Koehnlein S.A., 1993. Effects of small-scale vertical variations in well-screen inflow rates and concentrations of organic compounds on the collection of representative ground-water-quality samples. *Ground Water* 31 (2), 201-208.
- Kearl P.M, Korte N.E and Cronk T.A., 1992. Suggested modifications to ground water sampling procedures based on observations from the colloidal borescope. *Ground Water Monitoring & Remediation* 12 (2), 155-161.
- Kjeldsen P., 1993. Evaluation of gas diffusion through plastic materials used in experimental and sampling equipment. *Water Research* 27 (1), 121 - 131.
- Parker L.V and Clark C.H., 2004. Study of five discrete-interval-type ground water sampling devices. *Ground Water Monitoring & Remediation* 24 (3), 111-123.
- Parker L.V and Ranney T.A., 1997. Sampling trace-level organic solutes with polymeric tubing. Part I. Static Studies. *Ground Water Monitoring & Remediation* 17 (1), 115-124.
- Parker L.V and Ranney T.A., 1998. Sampling trace-level organic solutes with polymeric tubing. Part II. Dynamic Studies. *Ground Water Monitoring & Remediation* 18 (1), 148-155.
- Parker L.V and Ranney T.A., 2000. Decontaminating materials used in ground water sampling devices: organic contaminants. *Ground Water Monitoring & Remediation* 20 (1), 56-68.
- Parker L.V, Hewitt A.D and Jenkins T.F., 1990. Influence of casing materials on trace-level chemicals in well water. *Ground Water Monitoring & Remediation* 10 (2), 146-156.
- Schalla R, Myers D.A, Simmons M.A, Thomas J.M and Toste A.P., 1988. The sensitivity of four monitoring well sampling systems to low concentrations of three volatile organics. *Ground Water Monitoring & Remediation* 8 (3), 90-96.
- Sladky B and Roberts J., 2002. Zero-purge groundwater sampling at a spent purifier media disposal site. Unpublished, 11pp.
- Sterling S.N, Parker B.L, Cherry J.A, Williams J.H, Lane Jr. J.W and Haeni F.P., 2005. Vertical Cross Contamination of Trichloroethylene in a Borehole in Fractured Sandstone. *Ground Water* 43 (4), 557-573.
- Thornton S.F, Quigley S, Spence M.J, Banwart S.A, Bottrell S and Lerner D.N., 2001. Processes controlling the distribution and natural attenuation of dissolved phenolic compounds in a deep sandstone aquifer. *Journal of Contaminant Hydrology* 53, 233 - 267.
- Verreydt G, Bronders J, Van Keer I, Diels L & Vanderauwera P., 2010. Passive samplers for monitoring VOCs in groundwater and the prospects related to mass flux measurements. *Ground Water Monitoring & Remediation* 30 (2), 114-126.
- Vroblesky D.A & Campbell T.R., 2001. Equilibration times, stability, and compound selectivity of diffusion samplers for collection of ground water VOC concentrations. *Advances in Environmental Research* 5 (1), 1-12.
- Vroblesky D.A and Hyde W.T., 1997. Diffusion samplers as an inexpensive approach to monitoring VOCs in ground water *Ground Water Monitoring & Remediation* 17 (3), 177-184.
- Vroblesky D.A, Petkewich M.D and Campbell T.R., 2002. Field tests of diffusion samplers for inorganic constituents in wells and at a ground-water-discharge zone. *USGS Techniques of Water-Resources Investigations Report* 02-4031, 22pp.

Groundwater Sampling Methodology - d) Decontamination

Some overlooked but important knowledge

- American Society for Testing and Materials (ASTM), 2002. Standard Practice for Decontamination of Field Equipment Used at Nonradioactive Waste Sites. ASTM D5088-02, 5pp.
- Mickham J.T, Bellandi R and Tiftt Jr. E.C., 1989. Equipment decontamination procedures for ground water and vadose zone monitoring programs: status and prospects. *Ground Water Monitoring & Remediation* 9 (2), 100-121.
- Parker L.V and Ranney T.A., 2000. Decontaminating materials used in ground water sampling devices: organic contaminants. *Ground Water Monitoring & Remediation* 20 (1), 56-68.
- Parker L.V and Ranney T.A., 2003. An environmentally friendly decontamination protocol for ground water sampling devices. *Ground Water Monitoring & Remediation* 23 (2), 84-91.

Waterra Library of Groundwater Monitoring References by Subject

Groundwater Sampling - Well Purging - a) General papers

General field practice

- American Society for Testing and Materials (ASTM), 2005. Standard Guide for Purging Methods for Wells Used for Ground-Water Quality Investigations. ASTM D6452-99, 6pp.
- Barber C and Davis G.B, 1987. Representative sampling of ground water from short-screened boreholes. *Ground Water* 25 (5), 581-587.
- Barcelona M.J and Helfrich J.A, 1986. Well construction and purging effects on ground-water samples. *Environmental Science and Technology* 20 (11), 1179-1184.
- CL:AIRE, 2008. Principles and Practice for the Collection of Representative Groundwater Samples Technical Bulletin TB3, 8pp.
- Gibs J and Imbrigiotta T.E, 1990. Well-purging criteria for sampling purgeable organic compounds. *Ground Water* 28 (1), 68-78.
- Gibs J, Brown G.A, Turner K.S, Macleod C.L, Jellinski J.C and Koehnlein S.A, 1993. Effects of small-scale vertical variations in well-screen inflow rates and concentrations of organic compounds on the collection of representative ground-water-quality samples. *Ground Water* 31 (2), 201-208.
- Gibs J, Szabo Z, Ivahnenko T and Wilde F.D, 2000. Change in field turbidity and trace element concentrations during well purging. *Ground Water* 38 (4), 577-588.
- Kearl P.M, Korte N.E and Cronk T.A, 1992. Suggested modifications to ground water sampling procedures based on observations from the colloidal borescope. *Ground Water Monitoring & Remediation* 12 (2), 155-161.
- Kearl P.M, Korte N.E, Stites M and Baker J, 1994. Field comparison of micropurging vs. traditional ground water sampling. *Ground Water Monitoring & Remediation* 14 (4), 183-190.
- Keely J.F and Boateng K, 1987. Monitoring well installation, purging, and sampling techniques - Part 2: Case Histories. *Ground Water* 25 (4), 427-439.
- Martin-Hayden J.M, Robbins G.A and Bristol R.D, 1991. Mass balance evaluations of monitoring well purging, part II, field tests at a gasoline contamination site. *Journal of Contaminant Hydrology* 8 (1), 225-241.
- Robbins G.A and Martin-Hayden J.M, 1991. Mass balance evaluations of monitoring well purging; part 1. Theoretical models and implications for representative sampling. *Journal of Contaminant Hydrology* 7 (4), 203-224.
- Robbins G.A, 1989. Influence of using purged and partially penetrating monitoring wells on contaminant detection, mapping and modeling. *Ground Water* 27 (2), 155-162.
- Robin M.J.L and Gillham R.W, 1987. Field evaluation of well purging procedures. *Ground Water Monitoring & Remediation* 7 (4), 85-93.
- Vroblecky D.A, Casey C.C and Lowery M.A, 2006. Influence of in-well convection on well sampling. USGS Scientific Investigations Report 2006-5247, 13pp.

Groundwater Sampling - Well Purging - b) Bias and Flow Averaging

Your groundwater samples may be biased by flow averaging

- Barcelona M.J, Varljen M.D, Puls R.W and Kaminski D, 2005. Ground water purging and sampling methods: history vs. hysteria. *Ground Water Monitoring & Remediation* 25 (1), 52-62.
- Britt S.L, 2005. Testing the in-well horizontal laminar flow assumption with a sand-tank well model. *Ground Water Monitoring & Remediation* 25 (3), 73-81.
- Dumble P, 2006. Groundwater monitoring and sampling - new research and the importance of borehole construction. IAH (Irish Group) 26th Annual Conference Proceedings, Tullamore, 25-26 April 2006, 10pp.
- Flynn R.M, Schnegg P-A, Costa R, Mallen G and Zwahlen F, 2005. Identification of zones of preferential groundwater tracer transport using a mobile downhole fluorometer. *Hydrogeology Journal* 13, 366-377.
- Hutchins S.R and Acree S.D, 2000. Ground water sampling bias observed in shallow, conventional wells. *Ground Water Monitoring & Remediation* 20 (1), 86-93.
- Kozuskanich J, Novakowski K.S and Anderson B.C, 2011. Fecal indicator bacteria variability in samples pumped from monitoring wells. *Ground Water* 49, 43-52.
- Martin-Hayden J.M and Britt S.L, 2006. Revealing the black box of ground-water sampling: effects of well-bore flow and mixing during purging. 2006 North American Environmental Field Conference & Exposition, Tampa, Florida, 10-12 January 2006, 16pp.
- Martin-Hayden J.M and Robbins G.A, 1997. Plume distortion and apparent attenuation due to concentration averaging in monitoring wells. *Ground Water* 35 (2), 339-346.
- Martin-Hayden J.M and Wolfe N.B, 2000. A novel view of well bore flow and partial mixing: digital image analyses. *Ground Water Monitoring & Remediation* 20 (4), 96-103.
- Martin-Hayden J.M, 2000. Controlled laboratory investigations of wellbore concentration response to pumping. *Ground Water* 38 (1), 121-128.
- Martin-Hayden J.M, 2000. Sample concentration response to laminar wellbore flow: implications to ground water data variability. *Ground Water* 38 (1), 12-19.
- Mayo A.L, 2010. Ambient well-bore mixing, aquifer cross-contamination, pumping stress, and water quality from long-screened wells: What is sampled and what is not? *Hydrogeology Journal* 18, 823-837.
- Reilly T.E, Franke O.L and Bennett G.D, 1989. Bias in groundwater samples caused by wellbore flow. *Journal of Hydraulic Engineering* 115 (2), 270-276.
- Varljen M.D, Barcelona M.J, Obereiner J and Kaminski D, 2006. Numerical simulations to assess the monitoring zone achieved during low-flow purging and sampling. *Ground Water Monitoring & Remediation* 26 (1), 44-52.
- Vroblecky D.A and Peterson J.E, 2004. Flow-meter and passive diffusion bag tests and potential influences on the vertical distribution of contaminants in wells at Galena Airport, Galena, Alaska, August to October 2002. USGS Open-File Report 2004-1241, 29pp.

Waterra Library of Groundwater Monitoring References by Subject

Vroblecky D.A, Casey C.C and Lowery M.A, 2006. Influence of in-well convection on well sampling. USGS Scientific Investigations Report 2006-5247, 13pp.

Vroblecky D.A, Casey C.C and Lowery M.A, 2007. Influence of dissolved oxygen convection on well sampling. Ground Water Monitoring & Remediation 27 (3), 49-58.

Groundwater Sampling - Well Purging - c) Passive Sampling

No purge methods

Barrez F and Mania J, 2009. Analysis of hydrodynamic and hydrochemical behaviour of an aquifer using dialysis cells. Hydrogeology Journal 17, 781-792.

Divine C.E, Madsen L.L, Andrews S.D and Santangelo-Dreiling T, 2005. Passive diffusion ground water samplers at a site with heterogeneous hydrostratigraphy: pilot study results. Ground Water Monitoring & Remediation 25 (1), 90-99.

Fernandes A.C and Roberts J, 2001. Zero-purge groundwater sampling at a spent purifier media disposal site. Unpublished, 10pp.

Flynn R.M, Schnegg P-A, Costa R, Mallen G and Zwahlen F, 2005. Identification of zones of preferential groundwater tracer transport using a mobile downhole fluorometer. Hydrogeology Journal 13, 366-377.

ITRC (Interstate Technology & Regulatory Council), 2006. Technology Overview of Passive Sampler Technologies Washington, D.C.: Interstate Technology & Regulatory Council, Authoring Team. www.itrcweb.org DSP-4.

Powell R.M and Puls R.W, 1993. Passive sampling of ground water monitoring wells without purging: multi-level well chemistry and tracer disappearance. Journal of Contaminant Hydrology 12 (2), 51-77.

Sladky B and Roberts J, 2002. Zero-purge groundwater sampling at a spent purifier media disposal site. Unpublished, 11pp.

Verreydt G, Bronders J, Van Keer I, Diels L & Vanderauwera P, 2010. Passive samplers for monitoring VOCs in groundwater and the prospects related to mass flux measurements. Ground Water Monitoring & Remediation 30 (2), 114-126.

Vrana B, Mills G.A, Allan I.J, Dominiak E, Svensson, K, Knutsson J, Morrison G and Greenwood R., 2005. Passive sampling techniques for monitoring pollutants in water. Trends in Analytical Chemistry 24 (10), 845-868.

Vroblecky D. A (ed), 2001. User's guide for polyethylene-based passive diffusion bag samplers to obtain volatile organic compound concentrations in wells. Part 1: Deployment, recovery, data interpretation and quality control and assurance. USGS Techniques of Water-Resources Investigations Report 01-4060, 18pp.

Vroblecky D. A (ed), 2001. User's guide for polyethylene-based passive diffusion bag samplers to obtain volatile organic compound concentrations in wells. Part 2: Field Tests USGS Techniques of Water-Resources Investigations Report 01-4061, 102pp.

Vroblecky D.A & Campbell T.R, 2001. Equilibration times, stability, and compound selectivity of diffusion samples for collection of ground water VOC concentrations. Advances in Environmental Research 5 (1), 1-12.

Vroblecky D.A and Hyde W.T, 1997. Diffusion samplers as an inexpensive approach to monitoring VOCs in ground water Ground Water Monitoring & Remediation 17 (3), 177-184.

Vroblecky D.A and Peterson J.E, 2004. Flow-meter and passive diffusion bag tests and potential influences on the vertical distribution of contaminants in wells at Galena Airport, Galena, Alaska, August to October 2002. USGS Open-File Report 2004-1241, 29pp.

Vroblecky D.A, Casey C.C and Lowery M.A, 2006. Influence of in-well convection on well sampling. USGS Scientific Investigations Report 2006-5247, 13pp.

Vroblecky D.A, Casey C.C and Lowery M.A, 2007. Influence of dissolved oxygen convection on well sampling. Ground Water Monitoring & Remediation 27 (3), 49-58.

Vroblecky D.A, Petkewich M.D and Campbell T.R, 2002. Field tests of diffusion samplers for inorganic constituents in wells and at a ground-water-discharge zone. USGS Techniques of Water-Resources Investigations Report 02-4031, 22pp.

Groundwater Sampling - Well Purging - d) Low Flow Methods

Low flow and "micro-purging"

American Society for Testing and Materials (ASTM), 2002. Standard Practice for Low-Flow Purging and Sampling for Wells and Devices Used for Ground-Water Quality Investigations. ASTM D-6771-02.

Barcelona M.J, Wehrmann H.A and Varljen M.D, 1994. Reproducible well purging procedures and VOC stabilization criteria for ground water sampling. Ground Water 32 (1), 12-22.

Sevee J.E, White C.A and Maher D.J, 2000. An analysis of low-flow ground water sampling methodology. Ground Water Monitoring & Remediation 20 (2), 87-93.

Shanklin D.E, Sidle W.C and Ferguson M.E, 1995. Micro-purge low-flow sampling of uranium-contaminated ground water at the Fernald environmental management project. Ground Water Monitoring & Remediation 15 (3), 168-176.

US Environmental Protection Agency (Puls R.W and Barcelona M.J), 1996. Low-flow (minimal drawdown) ground-water sampling procedures. USEPA Ground Water Issue EPA/540/S-95/504, 12pp.

Vroblecky D.A, Casey C.C and Lowery M.A, 2006. Influence of in-well convection on well sampling. USGS Scientific Investigations Report 2006-5247, 13pp.

Groundwater Sampling Equipment - a) Methods

Papers describing novel sampling techniques

American Society for Testing and Materials (ASTM), 2006. Standard Guide for the Selection of Purging and Sampling Devices for Ground-Water Monitoring Wells. ASTM D6634-01, 14pp.

Barcelona M.J, Helfrich J.A, Garske E.E and Gibb J.P, 1984. A laboratory evaluation of ground water sampling mechanisms. Ground Water Monitoring & Remediation 4 (2), 32-41.

Barrez F and Mania J, 2009. Analysis of hydrodynamic and hydrochemical behaviour of an aquifer using dialysis cells. Hydrogeology Journal 17, 781-792.

Waterra Library of Groundwater Monitoring References by Subject

- Ehlke T.A, Imbrigiotta T.E and Dale J.M, 2004. Laboratory comparison of polyethylene and dialysis membrane diffusion samplers Ground Water Monitoring & Remediation 24 (1), 53-59.
- Howsam P and Thakoordin M, 1996. Groundwater quality monitoring: the use of flow-through cells. Journal of Water and Environmental Management (pre 1999) 10, 407-410.
- Murdoch L.C, Slack W.W, Harrar W and Siegrist R.I, 2000. Embedded sidewall samplers and sensors to monitor the subsurface. Ground Water 38 (5), 657-664.
- Newall J, 1990. Groundwater monitoring with the Waterra Inertial Pump. Waterra Pumps Web Site (www.waterra.com), 9pp.
- Petruzzi N.M and Silliman S.E, 2006. A sampling device for collection of ground water bacteria under natural gradient flow conditions. Ground Water Monitoring & Remediation 26 (1), 85-91.
- Rannie E.H and Nadon R.L, 1988. An inexpensive, multi-use, dedicated pump for ground water monitoring wells. Ground Water Monitoring & Remediation 8 (4), 100-107.
- Verreydt G, Bronders J, Van Keer I, Diels L & Vanderauwera P, 2010. Passive samplers for monitoring VOCs in groundwater and the prospects related to mass flux measurements. Ground Water Monitoring & Remediation 30 (2), 114-126.
- Vrana B, Mills G.A, Allan I.J, Dominiak E, Svensson, K, Knutsson J, Morrison G and Greenwood R., 2005. Passive sampling techniques for monitoring pollutants in water. Trends in Analytical Chemistry 24 (10), 845-868.
- Vroblecky D. A (ed), 2001. User's guide for polyethylene-based passive diffusion bag samplers to obtain volatile organic compound concentrations in wells. Part 1: Deployment, recovery, data interpretation and quality control and assurance. USGS Techniques of Water-Resources Investigations Report 01-4060, 18pp.
- Vroblecky D. A (ed), 2001. User's guide for polyethylene-based passive diffusion bag samplers to obtain volatile organic compound concentrations in wells. Part 2: Field Tests USGS Techniques of Water-Resources Investigations Report 01-4061, 102pp.
- Vroblecky D.A & Campbell T.R, 2001. Equilibration times, stability, and compound selectivity of diffusion samples for collection of ground water VOC concentrations. Advances in Environmental Research 5 (1), 1-12.
- Vroblecky D.A and Hyde W.T, 1997. Diffusion samplers as an inexpensive approach to monitoring VOCs in ground water Ground Water Monitoring & Remediation 17 (3), 177-184.

Groundwater Sampling Equipment - b) Materials

How important are material in sampling equipment - keep this in perspective!

- Kjeldsen P, 1993. Evaluation of gas diffusion through plastic materials used in experimental and sampling equipment. Water Research 27 (1), 121 - 131.
- Parker L.V and Ranney T.A, 1997. Sampling trace-level organic solutes with polymeric tubing. Part I. Static Studies. Ground Water Monitoring & Remediation 17 (1), 115-124.
- Parker L.V and Ranney T.A, 1998. Sampling trace-level organic solutes with polymeric tubing. Part II. Dynamic Studies. Ground Water Monitoring & Remediation 18 (1), 148-155.
- Reynolds G.W, Holt J.T and Gillham R.W, 1990. Sampling bias caused by materials used to monitor halocarbons in ground water. Environmental Science and Technology 24, 135-142.

Groundwater Sampling Equipment - c) Comparative Papers

Comparative studies using different sampling equipment

- Baerg D.F, Starr R.C, Cherry J.A and Smyth D.J.A. Performance testing of conventional and innovative downhole samplers and pumps VOS's in laboratory monitoring well. Unpublished.
- Barker J.F and Dickhout R, 1988. An evaluation of some systems for sampling gas-charged ground water for volatile organic analysis.. Ground Water Monitoring & Remediation 8 (4), 112-120.
- CL:AIRE, 2008. Principles and Practice for the Collection of Representative Groundwater Samples Technical Bulletin TB3, 8pp.
- Ehlke T.A, Imbrigiotta T.E and Dale J.M, 2004. Laboratory comparison of polyethylene and dialysis membrane diffusion samplers Ground Water Monitoring & Remediation 24 (1), 53-59.
- ITRC (Interstate Technology & Regulatory Council), 2006. Technology Overview of Passive Sampler Technologies Washington, D.C.: Interstate Technology & Regulatory Council, Authoring Team. www.itrcweb.org DSP-4.
- Parker L.V and Clark C.H, 2004. Study of five discrete-interval-type ground water sampling devices. Ground Water Monitoring & Remediation 24 (3), 111-123.
- Schalla R, Myers D.A, Simmons M.A, Thomas J.M and Toste A.P, 1988. The sensitivity of four monitoring well sampling systems to low concentrations of three volatile organics. Ground Water Monitoring & Remediation 8 (3), 90-96.
- Verreydt G, Bronders J, Van Keer I, Diels L & Vanderauwera P, 2010. Passive samplers for monitoring VOCs in groundwater and the prospects related to mass flux measurements. Ground Water Monitoring & Remediation 30 (2), 114-126.
- Vrana B, Mills G.A, Allan I.J, Dominiak E, Svensson, K, Knutsson J, Morrison G and Greenwood R., 2005. Passive sampling techniques for monitoring pollutants in water. Trends in Analytical Chemistry 24 (10), 845-868.
- Vroblecky D.A, Petkewich M.D and Campbell T.R, 2002. Field tests of diffusion samplers for inorganic constituents in wells and at a ground-water-discharge zone. USGS Techniques of Water-Resources Investigations Report 02-4031, 22pp.

Groundwater Characterisation - a) Ammonia

Monitoring ammonia, retardation and characterisation

- Buss S.R, Herbert A.W, Morgan P, Thornton S.F and Smith J.W.N, 2004. A review of ammonium attenuation in soil and groundwater. Quarterly Journal of Engineering Geology and Hydrogeology 37, 347-359.
- Erskine A.D, 2000. Transport of ammonium in aquifers: retardation and degradation. Quarterly Journal of Engineering Geology and Hydrogeology 33, 161-170.

Waterra Library of Groundwater Monitoring References by Subject

Groundwater Characterisation - b) LNAPL and DNAPLs

Monitoring light and dense aqueous phase liquids in groundwater

- American Petroleum Institute (API), 2003. Answers to frequently asked questions about managing risk at LNAPL sites. API Soil and Groundwater Research Bulletin Number 18, 20pp.
- Atkins Consultants, 2007. Brofiscin Quarry Phase 1 Further Investigation Actions: Stage 4 - Conceptual Site Model. Report to Environment Agency Wales and Rhondda Cynon Taf County Borough Council CSM Rev4.doc, 333 pp.
- CL:AIRE, 2004. A Practical Guide to Investigating DNAPL Releases in the subsurface. Technical Bulletin TB 11.
- Einarson M.D, Shirmer M, Pezeshkpour P, Mackay D.M and Wilson R.D, 1999. Comparison of eight innovative site characterization tools used to investigate an MTBE plume at site 60, Vandenberg air force base, California. NGWA Petroleum Hydrocarbons Conference, Houston, Texas, 17-19 November 1999.
- Environment Agency, 1998. Review of LNAPL monitoring techniques in groundwater. EA Project Report P2/080/1/M, 167pp.
- Environment Agency, 2000. The fuel additive MTBE - a groundwater protection issue?. Information Leaflet, 22pp.
- Environment Agency, 2003. An Illustrated handbook of DNAPL transport and fate in the subsurface. EA R&D Publication 133, 67pp.
- Hardisty P.E, Wheeler H.S, Birks D and Dottridge J, 2003. Characterization of LNAPL in fractured rock. Quarterly Journal of Engineering Geology and Hydrogeology 36, 343-354.
- Kram M.L, Keller A.A, Rossabi J and Everett L.G, 2001. DNAPL characterisation methods and approaches, Part 1: performance comparisons Ground Water Monitoring & Remediation 21 (4), 109-123.
- Kram M.L, Keller A.A, Rossabi J and Everett L.G, 2002. DNAPL characterisation methods and approaches, Part 2: cost comparisons Ground Water Monitoring & Remediation 22 (1), 46-61.
- Rivett M.A and Clark L, 2007. A quest to locate sites described in the world's first publication on trichloroethene contamination of groundwater. Quarterly Journal of Engineering Geology and Hydrogeology 40, 241-249.
- Rivett M.O, Feenstra S and Clark L, 2006. Lyne and McLachlan (1949): Influence of the first publication on groundwater contamination by trichloroethene. Environmental Forensics 7, 313-323.
- Sterling S.N, Parker B.L, Cherry J.A, Williams J.H, Lane Jr. J.W and Haeni F.P, 2005. Vertical Cross Contamination of Trichloroethylene in a Borehole in Fractured Sandstone. Ground Water 43 (4), 557-573.
- Thornton S.F, Quigley S, Spence M.J, Banwart S.A, Bottrell S and Lerner D.N, 2001. Processes controlling the distribution and natural attenuation of dissolved phenolic compounds in a deep sandstone aquifer. Journal of Contaminant Hydrology 53, 233 - 267.
- Wealthall G.P, Thornton S.F and Lerner D.N, 2001. Assessing the transport and fate of MTBE-amended petroleum hydrocarbons in the Chalk aquifer, UK 3rd International Conference on Groundwater Quality, University of Sheffield, UK, 18-21 June 2001. IAHS Publication. Ed Thornton, S.F and Oswald S.E.
- Wealthall G.P, Thornton S.F and Lerner D.N, 2001. Assessing the transport and fate of MTBE-amended petroleum hydrocarbons in the UK chalk aquifer. NGWA Petroleum Hydrocarbons Conference, Houston, Texas, 17-19 November 1999, 5pp.
- White R.A, Rivett M.O, Wealthall G.P and Lelliott M.R, 2007. Use of high resolution soil core and aqueous-phase monitoring to investigate TCE biodegradation heterogeneity within a DNAPL source zone area. 6th International Conference on Groundwater Quality, Fremantle, Western Australia, 2-7 December 2007., 8 pp.
- Wilson R.D, Thornton S.F and Mackay D.M, 2004. Challenges in monitoring the natural attenuation of spatially variable plumes. Biodegradation 15, 11.

Groundwater Characterisation - c) Natural Attenuation

Monitoring Natural Attenuation (MNA)

- Bottrell S.H, Thornton S.F, Spence M.J, Alshor S. and Spence K.H, 2010. Assessment of the use of fluorescent tracers in a contaminated Chalk aquifer. Quarterly Journal of Engineering Geology and Hydrogeology 43, 195-206.
- Christensen T.H, Bjerg P.L and Kjeldsen P, 2000. Natural attenuation: a feasible approach to remediation of ground water pollution at landfills?. Ground Water Monitoring & Remediation 20 (1), 69-77.
- CL:AIRE, 2002. Site Characterisation in Support of Monitored Natural Attenuation of Fuel Hydrocarbons and MTBE in a Chalk Aquifer in Southern England. Case Studies Bulletin CSB 1, 2pp.
- Environment Agency, 2000. Guidance on the assessment and monitoring of natural attenuation of contaminants in groundwater. EA R&D Publication 95, 131pp.
- Environment Agency, 2001. Methodology for the derivation of remedial targets for soil and groundwater to protect water resources. EA R&D Publication 20, 89pp.
- Pickup R.W, Rhodes G, Alamillo, M.L, Mallinson, H.E.H, Thornton, S.F and Lerner, D.N, 2001. Microbiological analysis of multi-level borehole samples from a contaminated groundwater system. Journal of Contaminant Hydrology 53, 269 - 284.
- Thornton S.F, Quigley S, Spence M.J, Banwart S.A, Bottrell S and Lerner D.N, 2001. Processes controlling the distribution and natural attenuation of dissolved phenolic compounds in a deep sandstone aquifer. Journal of Contaminant Hydrology 53, 233 - 267.
- Wealthall G.P, Thornton S.F and Lerner D.N, 2001. Assessing the transport and fate of MTBE-amended petroleum hydrocarbons in the UK chalk aquifer. NGWA Petroleum Hydrocarbons Conference, Houston, Texas, 17-19 November 1999, 5pp.
- White R.A, Rivett M.O, Wealthall G.P and Lelliott M.R, 2007. Use of high resolution soil core and aqueous-phase monitoring to investigate TCE biodegradation heterogeneity within a DNAPL source zone area. 6th International Conference on Groundwater Quality, Fremantle, Western Australia, 2-7 December 2007., 8 pp.
- Wilson R.D, Thornton S.F and Mackay D.M, 2004. Challenges in monitoring the natural attenuation of spatially variable plumes. Biodegradation 15, 11.

Waterra Library of Groundwater Monitoring References by Subject

Measurements in Boreholes: a) Water Levels

Manual methods, standards and related issues.

American Society for Testing and Materials (ASTM), 2001. Standard Test Method for Determining Subsurface Liquid Levels in a Borehole or Monitoring Well (Observation Well). ASTM D4750-87, 6pp.

Brassington F.C., 1992. Measurement of head variations within observation boreholes and their implications for groundwater monitoring. *Journal of Water and Environmental Management* (pre 1999) 6, 91-100.

British Standards Institution, 2005. Manual methods for the measurement of a groundwater level in a well. British Standard BS ISO 21413: 2005, 30pp.

Elci A, Flach G.P and Molz F.J., 2003. Detrimental effects of natural vertical head gradients on chemical and water level measurements in observation wells: identification and control. *Journal of Hydrology* 281 (1-2), 70-81.

Environment Agency, 2003. A guide to monitoring water levels and flows at wetland sites. Information Leaflet, 29pp.

Jacob C.E., 1940. On the flow of water in an elastic artesian aquifer. *Transactions, American Geophysical Union* 22, 574-586.

Mew Jr. H.E., Medina Jr. M.A, Heath R.C, Reckhow K.H and Jacobs T.L., 1997. Cost-effective monitoring strategies to estimate mean water table depth. *Ground Water* 35 (6), 1089-1096.

Misstear B and Banks D., 2006. Groundwater monitoring: the importance of setting clear monitoring objectives based on an appreciation of the hydrogeology. IAH (Irish Group) 26th Annual Conference Proceedings, Tullamore, 25-26 April 2006, 9pp.

National Institute of Standards and Technology (NIST), 2004. Specifications, tolerances and other technical requirements for weighing and measuring devices. Section 5.52. Linear Measures. NIST Handbook 44 -2004 Edition Handbook 44, 2pp.

Wright, G.E., 2005. The SE Asian Earthquake Registered in Ireland Geological Survey of Ireland Newsletter Issue No 2, Winter 2005, 5-6.

Measurements in Boreholes: b) Data Loggers

Pressure transducers

Lorenzen G, Sprenger C and Pekdeger A., 2011. A simple method to hide data loggers safely in observation wells. *Ground Water* 49 (3), 450 -453.

Sorensen J.P.R, Butcher A.S., 2011. Water level monitoring pressure transducers - a need for industry-wide standards. *Ground Water Monitoring & Remediation* 31(4), 56-62.

US Geological Survey, 2004. Use of submersible pressure transducers in water-resources investigations. USGS Techniques of Water-Resources Investigations Book 8, Chapter A3.

Measurements in Boreholes: c) Barometric Effects

Barometric water level fluctuations

Acworth R.I and Brain T., 2008. Calculation of barometric efficiency in shallow piezometers using water levels, atmospheric and Earth tide data. *Hydrogeology Journal* 16, 1469-1481.

BETCO, 2005. Barometric and Earth Tide Response Correction (BETCO). User manual for BETCO BETCO User Guide, 17pp.

Price M., 2009. Barometric water-level fluctuations and their measurement using vented and non-vented pressure transducers. *Quarterly Journal of Engineering Geology and Hydrogeology* 42, 245-250.

Rojstaczer S and Riley F.S., 1990. Response of the water level in a well to earth tides and atmospheric loading under unconfined conditions. *Water Resources Research* 26, 1803-1817.

Tasmussen T.C and Crawford L.A., 1997. Identifying and removing barometric pressure effects in confined and unconfined aquifers. *Ground Water* 35, 502-511.

Toll N.J and Rasmussen T.C., 2007. Removal of barometric pressure effects and earth tides from observed water levels *Ground Water* 45 (1), 101-105.

Van der kamp G and Gale J.E., 1983. Theory of Earth tide and barometric effects in porous formations with compressible grains. *Water Resources Research* 19, 538-544.

Weeks E.P., 1979. Barometric fluctuations in wells tapping deep unconfined aquifers. *Water Resources Research* 15, 1167-1176.

Measurements in Boreholes: d) Hydraulic Conductivity

Slug tests and other methods for measuring permeability (hydraulic conductivity)

American Society for Testing and Materials (ASTM), 2002. Standard Test Method for (Field Procedure) for Instantaneous Change in Head (Slug) Tests for Determining Hydraulic Properties of Aquifers. ASTM D4044-96, 3pp.

Aragon-Jose A.T and Robbins, G.A., 2011. Low-flow hydraulic tests at wells that cross the water table. *Ground Water* 49 (3), 426-431.

Black J.H., 2010. The practical reasons why slug tests (including falling and rising head tests) often yield the wrong value of hydraulic conductivity. *Quarterly Journal of Engineering Geology and Hydrogeology* 43, 345-358.

British Standards Institution, 1999. Code of practice for site investigations. British Standard BS5930: 1999, 192pp.

British Standards Institution, 2003. Hydrometric determinations. Pumping tests for water wells. Considerations and guidelines for design, performance and use. British Standard BS ISO 14686: 2003.

Butler Jr., 2002. A simple correction for slug tests in small-diameter wells. *Ground Water* 40 (3), 303-307.

California EPA, 1995. Aquifer Testing for Hydrogeologic Characterization California EPA Guidance, 28pp.

Charlesworth D.L., Howard K.W.F and Nadon R., 1992. An innovative use of groundwater sampling equipment to determine aquifer characteristics in Precambrian basement rocks of Uganda. *Quarterly Journal of Engineering Geology and Hydrogeology* 25, 165-168.

CL:AIRE, 2009. Parameterisation of Aquifer Hydraulic Properties: A Contaminant Hydrogeology Perspective Technical Bulletin TB4, 6pp.

Waterra Library of Groundwater Monitoring References by Subject

Hvorslev, M.J., 1951. Time lag and soil permeability in groundwater observations. US Army Corps of Engineers, Waterways Experiment Station Bulletin 36.

Jacob C.E., 1940. On the flow of water in an elastic artesian aquifer. Transactions, American Geophysical Union 22, 574-586.

Trenter N.A., 1999. A note on the estimation of permeability of granular soils. Quarterly Journal of Engineering Geology and Hydrogeology 32, 383-388.

Other Groundwater Related Issues - a) Monitoring Papers

General issues and case histories

Anzzolin A.R., Siedlecki M and Lloyd J., 1999. The challenge of ground water quality monitoring. Ground Water Monitoring & Remediation 19 (1), 57-60.

Hazelton C., 1998. Variations between continuous and spot-sampling techniques in monitoring a change in river-water quality. Journal of Water and Environmental Management (pre 1999) 12, 124-129.

Misstear B and Banks D., 2006. Groundwater monitoring: the importance of setting clear monitoring objectives based on an appreciation of the hydrogeology. IAH (Irish Group) 26th Annual Conference Proceedings, Tullamore, 25-26 April 2006, 9pp.

Wood S.C., Younger P.L and Robins N.S., 1999. Long-term changes in the quality of polluted minewater discharges from abandoned underground coal workings in Scotland. Quarterly Journal of Engineering Geology and Hydrogeology 32, 69-79.

Other Groundwater Related Issues - b) Landfill Monitoring

Evolution of landfill monitoring guidance

Blakey N, Young C and Lewin K, 1993. A strategy for landfill site monitoring. Proceedings of Discharge Your Obligations Landfill Conference, 1993, Leamington Spa, 3 November 1993, 367-376.

Blakey N.C, Young C.P, Clark L and Lewin K, 1993. A UK strategy for landfill monitoring. Sardinia Fourth International Landfill Symposium, 21-47.

Dumble J P, Charlesworth D L and Haynes J, 1993. Groundwater monitoring protocols around landfill sites: the influence of well design, purging methods and sediment on the integrity of groundwater samples. Proceedings of Discharge Your Obligations Landfill Conference, 1993, Leamington Spa, 3 November 1993, 175-184.

Environment Agency, 2002. Techniques for the interpretation of landfill monitoring data. Guidance notes. EA R&D Publication P1-471, 151pp.

Environment Agency, 2003. Guidance on monitoring of landfill leachate, groundwater and surface water. EA Landfill Directive Technical Guidance LFTGN02, 283pp.

Environment Agency, 2003. Hydrogeological risk assessments for landfills (SUPERCEDED) EA Landfill Directive Technical Guidance LFTGN01, 100pp.

Environmental Protection Agency, Ireland, 2004. Landfill Manuals & Landfill Monitoring, 2nd Edition EPA Technical Guidance.

Haynes J, Henderson K and Charlesworth D, 1992. Landfill monitoring: a comparison of the cost, reliability and convenience of various methods of groundwater sampling. Proceedings of Discharge Your Obligations, Leamington Spa 1992, 195-202.

Other Groundwater Related Issues - c) Groundwater Monitoring Networks

Where to monitor groundwater? Pros and cons

Environment Agency, 2002. The delineation and characterisation of groundwater bodies to meet the requirements of the EU water framework directive (summary). EA R&D Publication P2-260/6/TS/1, 2pp.

Environment Agency, 2003. Development of methodology for selection of determinand suites and sampling frequency for groundwater quality monitoring. EA Project Report NC/00/35, 94pp.

Environment Agency, 2006. Groundwater quality: a framework for improved monitoring. EA Policy Document, 32pp.

Hudak P.F., 1998. Configuring detection wells near landfills. Ground Water Monitoring & Remediation 18 (1), 93-96.

Jardine K, Smith L and Clemo T, 1996. Monitoring networks in fractured rocks: a decision analysis approach. Ground Water 34 (3), 504-518.

Mew Jr. H.E, Medina Jr. M.A, Heath R.C, Reckhow K.H and Jacobs T.L, 1997. Cost-effective monitoring strategies to estimate mean water table depth. Ground Water 35 (6), 1089-1096.

Robbins G.A., 1989. Influence of using purged and partially penetrating monitoring wells on contaminant detection, mapping and modeling. Ground Water 27 (2), 155-162.

Ward R.S, Streetly M.J, Singleton A.J and Sears R, 2004. A framework for monitoring regional groundwater quality. Quarterly Journal of Engineering Geology and Hydrogeology 37, 271-281.

Other Groundwater Related Issues - d) Groundwater Models

Models and their use

CL:AIRE, 2011. Accounting for the groundwater-surface water interface in contaminated land assessments. California EPA Guidance TB15, 8pp.

Trowsdale S.A & Lerner D.N, 2003. Implications of flow patterns in the sandstone aquifer beneath the mature conurbation of Nottingham (UK) for source protection. Quarterly Journal of Engineering Geology and Hydrogeology 36, 197-206.

Other Groundwater Related Issues - e) Data Analysis

A few methods used to analyse groundwater data

Environment Agency, 2002. Techniques for the interpretation of landfill monitoring data. Guidance notes. EA R&D Publication P1-471, 151pp.

Waterra Library of Groundwater Monitoring References by Subject

- Hong Y-S & Rosen M.R, 2001. Intelligent characterisation and diagnosis of the groundwater quality in an urban fractured rock aquifer using an artificial neural network. *Urban Water* 3, 192-204.
- Lischeid G, 2009. Non-linear visualisation and analysis of large water quality data sets: a model-free basis for eddicient monitoring and risk assessment. *Stochastic Environmental Research Risk Assessment* 23, 977-990.
- Peeters L, Bacao F, Lobo V & Dassargues A, 2007. Exploratory data analysis and clustering of multivariate spatial hydrogeological data by means of GEO3DSOM, a variant of Kohonen's Self-Organizing Map. *Hydrology and Earth Science Systems* 11, 1309-1321.
- Sanchez-Martos F, Aguilera P.A, Garrido-Frenich A, Torres J.A & Pulido-Bosch A, 2002. Assessment of groundwater quality by means of Self-Organizing Maps: application in a semiarid area. *Environmental Management* 30 (5), 716-726.
- Tonjes D.J, Heil J.H and Black J.A, 1995. Sliding stiff diagrams: a sophisticated ground water analytical tool. *Ground Water Monitoring & Remediation* 15 (2), 134-139.

Other Groundwater Related Issues - f) General Interest

Odds and ends

- Brassington F.C & Younger P.L, 2010. A proposed framework for hydrogeological conceptual modelling. *Journal of Water and Environmental Management* 24, 261-273.
- CL:AIRE, 2011. Accounting for the groundwater-surface water interface in contaminated land assessments. California EPA Guidance TB15, 8pp.
- Environment Agency, 2007. Information about your groundwater quality results. EA R&D Publication HHEO0807BNAO-E-E, 30pp.
- Institute of Geologists of Ireland, 2007. Recommended Collection, Presentation and Interpretation of Geological and Hydrogeological Information for Quarry Developments. Institute of Geologists of Ireland Guidance Document (Laminated A4 Sheet), 2 pp.
- Jacob C.E, 1940. On the flow of water in an elastic artesian aquifer. *Transactions, American Geophysical Union* 22, 574-586.
- Mather J.D, 2006. Erasmus Darwin (1731-1802) and the principle of the overflowing well. *Quarterly Journal of Engineering Geology and Hydrogeology* 39, 313-320.
- Mather J.D. (ed), 2004. 200 Years of British Hydrogeology. The Geological Society Special Publication 225, 393 pp.
- Rivett M.A and Clark L, 2007. A quest to locate sites described in the world's first publication on trichloroethene contamination of groundwater. *Quarterly Journal of Engineering Geology and Hydrogeology* 40, 241-249.
- Rivett M.O, Feenstra S and Clark L, 2006. Lyne and McLachlan (1949): Influence of the first publication on groundwater contamination by trichloroethene. *Environmental Forensics* 7, 313-323.
- The Institution of Civil Engineers, Oxfam GB, WaterAid, 2011. Managing water locally. An essential dimension of community water development. The Institution of Civil Engineers, 94pp.
- Wright, G.E, 2005. The SE Asian Earthquake Registered in Ireland Geological Survey of Ireland Newsletter Issue No 2, Winter 2005, 5-6.